
ESIM CLICK TO INSTALL (CTI) INSTALLATION INSTRUCTIONS FOR ANDROID LOOK OUT FOR THE LINK VIA TEXT MESSAGE AND FOLLOW THE INSTRUCTIONS BELOW

If you're porting your existing mobile number to EE, your mobile admin will confirm the port date. Once the port has been successfully completed, please remove your previous SIM card/eSIM. This step is crucial as it will automatically set your default settings to the EE eSIM, ensuring everything runs seamlessly with your new setup.

Step 1

Upon receiving the text message from EE. click on the link to download your eSIM



Step 2

57 💿 🚜 🔧

Click on Setup to allow the eSIM download

①

Setup your eSIM

Some device info that's needed for setup will be sent to Google, your carrier, or their partners

Step 3

Go to Settings to turn on your eSIM




Step 4

Click on Get started to set your SIM preferences

Step 5

Click on Next to personalise your EE eSIM





ESIM CLICK TO INSTALL (CTI) INSTALLATION INSTRUCTIONS FOR ANDROID

IF YOUR DEVICE DOESN'T SUPPORT DUAL ACTIVE ESIM AND YOU'RE USING AN ESIM CURRENTLY PLEASE SEE FAQS FOR THE NEXT STEPS

CUSTOMISING YOUR ESIM BEFORE PORTING-RECOMMENDED SET UP

We recommend you keep your current SIM/eSIM as the default SIM until your port date as per Step 7


Rename & Default settings for your new EE eSIM for your convenience

Step 6 You can rename your new eSIM to




Step 7

Select 'current line' as default for Data and Calls (no need to select the eSIM)




Step 8

Turn on your EE eSIM



Step 9

That's the eSIM installed and personalised.



FAQS

If your device doesn't support dual active eSIM and your device already has an eSIM please follow the steps below.

If you are unsure, please visit our compatibility page to find out eSIM-compatible devices | Business Help | EE Business

After completing Steps 1-3 (which installs the new EE eSIM ready for port date) go to **Settings > Networks & Internet** and turn off the new 'EE eSIM' line (which reverts to your current eSIM). Once the porting process is complete, return to **Settings > Networks & Internet** and turn the new 'EE eSIM' line back on.

Mobile number is showing up as 0000000000 within SIM Manager-

Please reboot your device which should update to your EE temporary number.

No SMS Received to install eSIM-

If you haven't received the SMS from EE, please check your network or Wi-Fi connection to ensure your phone is online.

The SMS will attempt to reach your device for up to 48 hours. If your phone is switched off or out of network coverage for more than 48 hours, the message will expire. In that case, you'll need to contact your mobile administrator to request a new SMS.

SMS deleted-

If you have deleted the SMS you received from EE to download your eSIM, you will need to request a new SMS by contacting your mobile administrator.

Old SIM removal post port-

Once the port has been successfully completed, please remove your previous SIM card/SIM. Once removed please select the old-line under Settings> Network & Internet>SIMs and select update contacts if prompted.

This step is crucial as it will automatically set your default settings to the EE eSIM, ensuring everything runs seamlessly with your new setup.

Default settings post port date-

Once you have successfully ported you can check or change the default settings by going to the Settings> Network & Internet>SIMs and selecting the new EE eSIM as your default SIM for data & voice.

Setup Issues-

If you have any problems during the eSIM setup, try restarting your device and follow the steps again, don't delete your new EE eSIM at any given time unless asked by your mobile administrator.

What devices CTI is available for-

All devices running Android 10 or higher and the latest GMS Core version.